

Patent claims

1. Column for carrying out an isotope exchange (EM) between a liquid substance (L) and a gaseous substance (G) using a catalytic reaction (EK) in which the isotope exchange between molecules of the vaporized liquid substance (V) and molecules of the gaseous substance (G) takes place through a heterogeneous catalysis, said column comprising a plurality of modules (M) which are arranged vertically one above the other and which are in each case subdivided into two regions K and A which are serially connected by a connection region (C), with it being possible to carry out the catalytic reaction in the region K on a first packing (2), with it being possible to carry out a substance exchange (E1, E2) between a liquid and a gaseous phase which contains vapor in the region A by means of a second packing (3) for compensating substance concentrations, with a transport of the gaseous substance (G, V) which contains vapor being driven through the modules as a result of pressure gradients during the operation of the column; with the transport direction being changed at least once in the connection region, and indeed from a downward direction to an upward direction, whereas the liquid substance (L) is forwarded downwardly through the modules through the action of gravity alone.
2. Column in accordance with claim 1, characterized in that the transport through the modules (M) of the gaseous substance (G,

V) which contains vapor in each case being conducted upwardly through the region K, downwardly through the connection region (C) and upwardly through the region A.

3. Column in accordance with claim 1 or claim 2, characterized in that a filling of porous particles, on the surface of which a catalytically active material is applied, is used for the first packing (2).
4. Column in accordance with any one of the claims 1 to 3, characterized in that an ordered packing (3) which is in particular built up of vertical layers, with the layers containing inclined channels which are produced from corrugated material surfaces and thereby form a cross channel structure with openly crossing channels, is in each case used for the material exchange in the regions A.
5. Column in accordance with any one of the claims 1 to 4, characterized in that in each case a liquid collector (5) which contains a siphon-like drain (50) by means of which an upward passing through of gas (G, V) can be prevented is arranged beneath the regions A.
6. Column in accordance with any one of the claims 1 to 5, characterized in that the second packing (3) is located in a cylindrical chamber (3') which forms the region A; in that the connection region (C) comprises a first ring space (4) which is

arranged concentrically to the region A; and in that the region K is formed by a second concentric ring space (2').

7. Column in accordance with any one of the claims 1 to 5, characterized in that the region K is composed of a plurality of partial regions (K1, K2, K3, K4) which are arranged in parallel; and in that the space between these partial regions forms a part of the connection region (C).
8. Column in accordance with any one of the claims 1 to 7, characterized in that the second packing (3), the packing of the region A, is manufactured of copper; and in that the surface of the copper can be easily wetted as a result of a copper oxide film.
9. Use of a column (1) in accordance with any one of the claims 1 to 8 for the de-enrichment of tritium from heavy water, with deuterium being used as gaseous substance (G) and the heavy water forming the liquid substance (L), with tritium being taken up from this substance by the deuterium and with the deuterium which is charged with the tritium being regenerated in a low temperature column (6), with tritium being separated off.
10. Use of a column in accordance with any one of the claims 1 to 8 for the winning of heavy water, with hydrogen which contains deuterium forming the gaseous substance (G) and with deuterium being given off from this substance to heavy water, which forms the liquid substance (L), with light hydrogen (protium)

simultaneously being taken up.

10054.494.41301